



Sewage - Cutter Pump - PC Series

Cross Sectional View



Dimensional Details



Model	A	B	D	H
32PC - 7 - 14 - 1.0	212	103	32	575
32PC - 8 - 12 - 1.0	212	103	32	575
40PC - 10 - 10 - 1.0	212	103	40	575
40PC - 12 - 8 - 1.0	212	103	40	575
50PC - 14 - 7 - 1.0	212	103	50	575
40PC - 10 - 14 - 1.5	212	103	40	640
40PC - 12 - 12 - 1.5	212	103	40	640
50PC - 14 - 10 - 1.5	212	103	50	640
50PC - 16 - 9 - 1.5	212	103	50	640
50PC - 8 - 18 - 1.5	212	103	50	640
50PC - 12 - 16 - 2.0	212	103	50	640
50PC - 14 - 14 - 2.0	212	103	50	640
50PC - 16 - 12 - 2.0	212	103	50	640
50PC - 11 - 18 - 2.0	212	103	50	640
50PC - 15 - 20 - 3.0	212	103	50	570
50PC - 25 - 15 - 3.0	212	103	50	570
50PC - 42 - 9 - 3.0	212	103	50	570
65PC - 25 - 15 - 3.0	245	163	65	570
80PC - 50 - 8 - 3.0	279	177	80	570
80PC - 40 - 7 - 3.0	279	177	80	570
50PC - 17 - 25 - 4.0	238	123	50	570
65PC - 37 - 13 - 4.0	245	163	65	570
80PC - 43 - 13 - 4.0	279	177	80	570
80PC - 50 - 10 - 4.0	279	177	80	570
50PC - 24 - 20 - 5.0	238	123	50	660
50PC - 40 - 15 - 5.0	238	123	50	660
50PC - 15 - 40 - 7.5	193	203	50	740

Model	A	B	D	H
50PC - 25 - 32 - 7.5	193	203	50	740
50PC - 25 - 38 - 10.0	193	203	50	740
65PC - 25 - 28 - 5.0	274	202	65	660
80PC - 40 - 15 - 5.0	279	177	80	660
80PC - 60 - 13 - 5.0	279	177	80	660
80PC - 50 - 25 - 10.0	300	195	80	740
100PC - 80 - 7 - 4.0	250	186	100	570
100PC - 100 - 5 - 4.0	250	186	100	570
100PC - 80 - 9 - 5.0	250	18	100	660
100PC - 100 - 7 - 5.0	250	186	100	660
100PC - 65 - 15 - 7.5	292	194	100	740
100PC - 110 - 10 - 7.5	292	194	100	740
100PC - 80 - 20 - 10.0	292	194	100	740
100PC - 100 - 15 - 10.0	292	194	100	740
100PC - 80 - 22 - 12.5	266	175	100	890
100PC - 100 - 16 - 12.5	266	175	100	890
100PC - 50 - 35 - 15.0	266	175	100	890
100PC - 70 - 30 - 15.0	266	175	100	890
150PC - 110 - 15 - 10.0	286	227	150	765
150PC - 145 - 9 - 10.0	286	227	150	765
150PC - 210 - 7 - 10.0	286	227	150	765
150PC - 110 - 16 - 12.5	286	227	150	890
150PC - 150 - 9 - 12.5	286	227	150	890
150PC - 220 - 7 - 12.5	286	227	150	890
150PC - 170 - 15 - 15	286	227	150	1040

* All dimensions are in mm
* Dimensions shown are for guidance and planning purposes only


Sewage - Cutter Pump - PC Series

Performance Chart

S.No	Model	Motor Power HP/kW	Max. Particle Size (mm)	Q(m ³ /h)	2	4	6	8	10	12	14	16
1	32PC - 7 - 14 - 1.0	1.0 / 0.7	29	Head (m)	17	16	15	12.5	-	-	-	-
2	32PC - 8 - 12 - 1.0	1.0 / 0.7	29		15	14.5	13.5	12	8	-	-	-
3	40PC - 10 - 10 - 1.0	1.0 / 0.7	36		13.8	13.6	12.5	12	10	-	-	-
4	40PC - 12 - 8 - 1.0	1.0 / 0.7	36		-	12.5	12	11.6	10.5	8	-	-
5	50PC - 14 - 7 - 1.0	1.0 / 0.7	45		-	-	11.8	11.4	10.8	9.5	7	4
6	40PC - 10 - 14 - 1.5	1.5 / 1.1	36		20	19	18	17	14	-	-	-
7	40PC - 12 - 12 - 1.5	1.5 / 1.1	36		-	16	15	14.5	14	12	-	-
8	50PC - 14 - 10 - 1.5	1.5 / 1.1	45		-	14.5	13.8	13	12.5	12	10	-
9	50PC - 16 - 9 - 1.5	1.5 / 1.1	45		-	-	15	14.5	14	13.5	11.5	9
10	50PC - 8 - 18 - 1.5	1.5 / 1.1	45		24	23	22	18	-	-	-	-
11	50PC - 12 - 16 - 2.0	2.0 / 1.5	45		-	-	21	20	18	16	12	-
12	50PC - 14 - 14 - 2.0	2.0 / 1.5	45		-	-	-	19	18	17	14	7.5
13	50PC - 16 - 12 - 2.0	2.0 / 1.5	45		-	-	15	14	13.8	13.4	13	12
14	50PC - 11 - 18 - 2.0	2.0 / 1.5	45		27	26	25	23	20	14	-	-
15	50PC - 15 - 20 - 3.0	3.0 / 2.2	45		-	-	26	25	24	23	21	18

Note : Recommended Particle Size 50 - 80 % of Discharge Size

Performance Curve



Sewage - Cutter Pump - PC Series


Performance Chart

S.No	Model	Motor Power HP/kW	Max. Particle Size (mm)	Q(m ³ /h)	7	14	21	28	35	42	49	56
16	50PC - 25 - 15 - 3.0	3.0 / 2.2	45	Head (m)	19,5	18	16	14	-	-	-	-
17*	50PC - 42 - 9 - 3.0	3.0 / 2.2	45		-	12	11	10,5	10	9	7,5	-
18	65PC - 25 - 15 - 3.0	3.0 / 2.2	59		19	18	16	13,5	-	-	-	-
19*	80PC - 50 - 8 - 3.0	3.0 / 2.2	72		11	10,8	10,5	10	9,5	8,5	8	7
20*	80PC - 40 - 7 - 3.0	3.0 / 2.2	72		-	12	11	9	8	6	-	-
21	50PC - 17 - 25 - 4.0	4.0 / 3.0	45		30	27	20	-	-	-	-	-
22*	65PC - 37 - 13 - 4.0	4.0 / 3.0	59		18,5	18	16,5	15	14	11,5	-	-
23*	80PC - 43 - 13 - 4.0	4.0 / 3.0	72		-	18	17	16	15	13,5	11	-
24*	80PC - 50 - 10 - 4.0	4.0 / 3.0	72		-	-	12,5	12	11,5	11	10,5	-
S.No	Model	Motor Power HP/kW	Max. Particle Size (mm)	Q(m ³ /h)	5	10	15	20	25	30	35	40
25	50PC - 24 - 20 - 5.0	5.0 / 3.7	45	Head (m)	26	25	24	22	20	16	-	-
26*	50PC - 40 - 15 - 5.0	5.0 / 3.7	45		-	-	18	17,5	17	16,5	16	15
27	50PC - 15 - 40 - 7.5	7.5 / 5.6	45		44	43	40	34	32	27	20	-
28	50PC - 25 - 32 - 7.5	7.5 / 5.6	45		40	38	36	35	32	27	-	-
29	50PC - 25 - 38 - 10.0	10.0 / 7.5	45		43	42	41	40	38	35	32	-
30*	65PC - 25 - 28 - 5.0	5.0 / 3.7	59		35	33	32	30	28	25	-	-
31*	80PC - 40 - 15 - 5.0	5.0 / 3.7	72		-	-	-	18	17,5	17	16	15

* Pump Speed - 1440 rpm

Note : Recommended Particle Size 50 - 80 % of Discharge Size

Performance Curve



Sewage - Cutter Pump - PC Series


Performance Chart

S.No	Model	Motor Power HP/kW	Max. Particle Size (mm)	Q(m ³ /h)	15	30	45	60	75	90	105	120
32*	80PC - 60 - 13 - 5.0	5.0 / 3.7	72	Head (m)	17	16	14,5	13	9,5	-	-	-
33*	80PC - 50 - 25 - 10.0	10.0 / 7.5	72		31	29	26	22	-	-	-	-
34*	100PC - 80 - 7 - 4.0	4.0 / 3.0	90		-	12,5	11,5	10,5	9,5	7	-	-
35*	100PC - 100 - 5 - 4.0	4.0 / 3.0	90		-	12	11	10	9,5	8	5	-
36*	100PC - 80 - 9 - 5.0	5.0 / 3.7	90		-	13	12	11	9,5	7	-	-
37*	100PC - 100 - 7 - 5.0	5.0 / 3.7	90		-	12	11	10	9	8	6,5	-
38*	100PC - 65 - 15 - 7.5	7.5 / 5.5	90		20	19	18	16	12,5	-	-	-
39*	100PC - 110 - 10 - 7.5	7.5 / 5.5	90		-	-	13	12,5	12	11,5	10,5	9
40*	100PC - 80 - 20 - 10.0	10.0 / 7.5	90		-	24	23	22	21	18	14	-
41*	100PC - 100 - 15 - 10.0	10.0 / 7.5	90		-	20	19	18,5	17,8	16	14	11,5
42*	100PC - 80 - 22 - 12.5	12.5 / 9.3	90		-	25,5	25	24	22,5	20	16	-
43*	100PC - 100 - 16 - 12.5	12.5 / 9.3	90		-	21	20,5	20	19	17,5	15,5	13
44	100PC - 50 - 35 - 15.0	15.0 / 11	90		40	39	36,5	33	-	-	-	-
45	100PC - 70 - 30 - 15.0	15.0 / 11	90		41	39	36	34	29	-	-	-
46*	150PC - 110 - 15 - 10.0	10.0 / 7.5	135		-	-	20	19	18	17	16	14
47*	150PC - 110 - 16 - 12.5	12.5 / 9.3	135		-	-	21	20,5	19,5	18,5	17	15,5
S.No	Model	Motor Power HP/kW	Max. Particle Size (mm)		Q(m ³ /h)	30	60	90	120	150	180	210
48*	150PC - 145 - 9 - 10.0	10.0 / 7.5	135	Head (m)	13,5	12,5	11,5	10	8	6	-	-
49*	150PC - 210 - 7 - 10.0	10.0 / 7.5	135		-	-	9,5	9	8	7,5	7	6
50*	150PC - 150 - 9 - 12.5	12.5 / 9.3	135		14	13	12	11	9	6,5	-	-
51*	150PC - 220 - 7 - 12.5	12.5 / 9.3	135		-	-	10	9,5	9	8	7,5	6,5
52*	150PC - 170 - 15 - 15	15 / 11	135		-	-	18	17	16	14	10,5	-

* Pump Speed - 1440 rpm


Note : Recommended Particle Size 50 - 80 % of Discharge Size

Performance Curve




Sewage - Cutter Pump - PCE Series

Cross Sectional View



Dimensional Details



Model	A	B	D	H
40PCE - 10 - 10 - 1.0	120	83	40	499
40PCE - 10 - 14 - 1.5	120	83	40	524
50PCE - 14 - 7 - 1.0	120	83	50	499
50PCE - 5 - 15 - 1.5	120	83	50	524
50PCE - 15 - 9 - 1.5	120	83	50	524
50PCE - 16 - 8 - 1.5	120	83	50	524
50PCE - 12 - 16 - 2.0	120	83	50	549
50PCE - 14 - 12 - 2.0	120	83	50	549
50PCE - 16 - 12 - 2.0	120	83	50	549
80PCE - 12 - 14 - 2.0	135	110	80	570
80PCE - 12 - 17 - 3.0	151	118	80	570
50PCE - 24 - 15 - 3.0	151	118	50	570
65PCE - 35 - 11 - 3.0	151	118	65	570
65PCE - 50 - 10 - 5.0	196	163	65	660
80PCE - 40 - 6 - 3.0	151	118	80	570
80PCE - 40 - 8 - 3.0	151	118	80	570

Model	A	B	D	H
80PCE - 55 - 11 - 5.0	196	163	100	660
80PCE - 72 - 9 - 5.0	196	163	80	660
100PCE - 80 - 8 - 5.0	196	163	100	660
100PCE - 55 - 14 - 7.5	196	163	100	710
100PCE - 110 - 9 - 7.5	196	163	100	710
100PCE - 120 - 8 - 7.5	196	163	100	710
100PCE - 140 - 8 - 10	236	180	100	760
100PCE - 100 - 13 - 10	236	180	100	760
100PCE - 110 - 14 - 12.5	236	180	100	850
150PCE - 100 - 12 - 10	286	220	150	790
150PCE - 135 - 11 - 12.5	286	220	150	880
150PCE - 150 - 13 - 15	286	220	150	980
150PCE - 200 - 7 - 12.5	286	220	150	880
150PCE - 270 - 7 - 15	286	220	150	980

* All dimensions are in mm
* Dimensions shown are for guidance and planning purposes only

Sewage Pump with Cutter - PCE Series

Performance Chart

S.No	Model	Motor Power HP / kW	Max. Particle size (mm)	Q(m ³ /h)	3	6	9	12	15	18	21	24	27		
1	40PCE - 10 - 10 - 1.0	1.0 / 0.7	36	Head (m)	-	12	11	9.5	8.5	7	-	-	-		
2	40PCE - 10 - 14 - 1.5	1.5 / 1.1	36		-	17	15	13	11	9	8	7	-		
3	50PCE - 14 - 7 - 1.0	1.0 / 0.7	45		-	12	11	9.5	6	4.5	-	-	-		
4	50PCE - 5 - 15 - 1.5	1.5 / 1.1	45		18	14	12	6	-	-	-	-	-		
5	50PCE - 15 - 9 - 1.5	1.5 / 1.1	45		-	14	13	11	8.5	7	-	-	-		
6	50PCE - 16 - 8 - 1.5	1.5 / 1.1	45		-	13.5	12	10.5	9	7	6	-	-		
7	50PCE - 12 - 16 - 2.0	2.0 / 1.5	45		-	19.5	18	16	14.5	13	11.5	-	-		
8	50PCE - 14 - 12 - 2.0	2.0 / 1.5	45		-	15	14	13	11.5	10	8	6	-		
9	50PCE - 16 - 12 - 2.0	2.0 / 1.5	45		-	19	17	15	13	11	9	-	-		
10	80PCE - 12 - 14 - 2.0	2.0 / 1.5	72		17	18	15.5	14	11	8	-	-	-		
11	80PCE - 12 - 17 - 3.0	3.0 / 2.2	72		19	18.5	18	17	14.5	10	-	-	-		
S.No	Model	Motor Power HP / kW	Max. Particle size (mm)	Q(m ³ /h)	10	20	30	40	50	60	70	80	90		
12	50PCE - 24 - 15 - 3.0	3.0 / 2.2	45	Head (m)	17	16	14.5	11	8	-	-	-	-		
13*	65PCE - 35 - 11 - 3.0	3.0 / 2.2	59		-	13.5	12	10	8.5	6	-	-	-		
14*	65PCE - 50 - 10 - 5.0	5.0 / 3.7	59		-	13	12	11	10	9	7.5	6	-		
15*	80PCE - 40 - 6 - 3.0	3.0 / 2.2	72		-	-	8	7	5.5	4.5	-	-	-		
16*	80PCE - 40 - 8 - 3.0	3.0 / 2.2	72		-	-	9.5	8.5	7.5	6.5	5	-	-		
17*	80PCE - 55 - 11 - 5.0	5.0 / 3.7	72		-	13.5	13	12	11.5	10	9	-	-		
S.No	Model	Motor Power HP / kW	Max. Particle size (mm)		Q(m ³ /h)	20	40	60	80	100	120	140	160	180	
18*	80PCE - 72 - 9 - 5.0	5.0 / 3.7	72	Head (m)	11.5	11	10	8.5	7	5	-	-	-		
19*	100PCE - 80 - 8 - 5.0	5.0 / 3.7	90		-	9.5	9	8	7	5	-	-	-		
20*	100PCE - 55 - 14 - 7.5	7.5 / 5.5	90		16	15	13.5	11	7	-	-	-	-		
21*	100PCE - 110 - 9 - 7.5	7.5 / 5.5	90		-	-	10.5	10	9.5	8	7	6	-		
22*	100PCE - 120 - 8 - 7.5	7.5 / 5.5	90		-	-	9.5	9	8.5	8	7.5	6.5	6.5		
23*	100PCE - 140 - 8 - 10	10 / 7.5	90		-	-	10	9.5	9	8.5	8	7.5	6		
24*	100PCE - 100 - 13 - 10	10 / 7.5	90		-	15	14.5	14	13	12.5	11	9	-		
25*	100PCE - 110 - 14 - 12.5	12.5 / 9.3	90		-	16.5	16	15	14.5	13	11	8	6		
26*	150PCE - 100 - 12 - 10	10 / 7.5	135		-	-	14	13.5	12.5	11.5	10	8.5	8		
S.No	Model	Motor Power HP / kW	Max. Particle size (mm)		Q(m ³ /h)	30	60	90	120	150	180	210	240	270	300
27*	150PCE - 135 - 11 - 12.5	12.5 / 9.3	135	Head (m)	-	13	12.5	11.5	9.5	7.5	-	-	-	-	-
28*	150PCE - 150 - 13 - 15	15 / 11	135		-	-	15	14	13	11.5	9	-	-	-	-
29*	150PCE - 200 - 7 - 12.5	12.5 / 9.3	135		-	-	-	9	8.5	8	7	6	5	-	-
30*	150PCE - 270 - 7 - 15	15 / 11	135		-	-	-	-	-	8.5	8	7.5	7	6	5

* Pump Speed - 1440 rpm

Note : Recommended Particle Size 50 - 80 % of Discharge Size

Performance Curve

